




SSM P/N CPG06870



NOTES:

1. PLATING THICKNESS TO BE PER CUSTOMER'S SPECIFICATION.
2. SEAL RING TO BE METALLIZED.
3. DIE ATTACH AREA TO BE NOT METALLIZED.
4. SEAL RING TO BE FLOATING FROM ANY PINS.
5. LEAD RESISTANCE: 650mΩMAX.

| | | | | |
|----------------------------------------|----------------------|-----------------------------------------|-----------------------------|--------------------|
| PART NAME 60 PIN GRID ARRAY PACKAGE | | TOLERANCE UNLESS OTHERWISE SPECIFIED | PART NUMBER PB069ACA28-1 | |
| SCALE 5/1 | MATERIAL AS SHOWN | ±.005 | DRAWN K. IM | CHECKED H.S/K.M |
| KYOCERA CORPORATION KYOTO JAPAN | | | APPROVED T.A | DATE MAY '93 |
| | | | DRAWING NO. KD-P94A28-D | |



www.spectrum-semi.com Phone: 408-435-5555 Fax: 408-435-8226

SSM P/N CPG06870

WIRE BOND PAD/CONNECTOR PIN INTERCONNECTION PLAN

| W/B NO. | PIN NO. |
|---------|---------|
| 1 | B1 |
| 2 | C2 |
| 3 | C1 |
| 4 | D1 |
| 5 | D2 |
| 6 | E1 |
| 7 | E2 |
| 8 | F1 |
| 9 | F2 |
| 10 | G1 |
| 11 | H1 |
| 12 | G2 |
| 13 | J1 |
| 14 | H2 |
| 15 | K1 |

| W/B NO. | PIN NO. |
|---------|---------|
| 16 | H3 |
| 17 | J2 |
| 18 | K2 |
| 19 | J3 |
| 20 | K3 |
| 21 | J4 |
| 22 | K4 |
| 23 | J5 |
| 24 | K5 |
| 25 | K6 |
| 26 | J6 |
| 27 | K7 |
| 28 | K8 |
| 29 | J7 |
| 30 | K9 |



| W/B NO. | PIN NO. |
|---------|---------|
| 31 | J8 |
| 32 | J9 |
| 33 | H9 |
| 34 | H8 |
| 35 | K10 |
| 36 | J10 |
| 37 | G9 |
| 38 | H10 |
| 39 | G10 |
| 40 | F9 |
| 41 | F10 |
| 42 | E10 |
| 43 | E9 |
| 44 | D10 |
| 45 | C10 |

| W/B NO. | PIN NO. |
|---------|---------|
| 46 | C9 |
| 47 | D9 |
| 48 | B10 |
| 49 | B9 |
| 50 | C8 |
| 51 | A10 |
| 52 | B8 |
| 53 | A9 |
| 54 | B7 |
| 55 | A8 |
| 56 | A7 |
| 57 | B6 |
| 58 | A6 |
| 59 | A5 |
| 60 | B5 |

| W/B NO. | PIN NO. |
|---------|---------|
| 61 | A4 |
| 62 | A3 |
| 63 | B4 |
| 64 | A2 |
| 65 | B3 |
| 66 | B2 |
| 67 | A1 |
| 68 | C3 |

| | |
|-----------------|----|
| EXTRA PIN D3 | D2 |
|-----------------|----|

| | |
|-----|----|
| S/R | NC |
|-----|----|

| | | | | | | |
|---------------------------------------------------------------------------------------|----------|-----------------------------------------|---------------------------------------------------------------------------------------|----------------------------|------------------|----------------------|
| NAME 69 PIN GRID ARRAY PACKAGE | | TOLERANCE UNLESS OTHERWISE SPECIFIED | DRAWN K. IM | CHECKED H.S./K.M | APPROVED T. A | DATE NOV. 18. '94 |
| SCALE X | MATERIAL | THIRD ANGLE PROJECTION |  | | | |
|  | | KYOCERA CORPORATION KYOTO JAPAN | | DRAWING NO. KD-P94A28-D | | SHEET 3/3 |

