


SSM P/N LCC04025

NTK

LATEST REVISION'S DESCRIPTION




- NOTES: 1, GOLD PLATE 1.5?m MIN OVER 2.0?m MIN NICKEL.
 2, NO LEAD TO BE ELECTRICALLY CONNECTED TO THE DIE ATTACH PAD. SEAL RING ISOLATED.
 3, NTK SPEC YS-1009 SHALL APPLY.

3					
2					
1	CERAMIC	BLACK ALUMINA		NEW DRAWING	NOV-04-2005
UNLESS OTHERWISE SPECIFIED TOLERANCES: ± 1%			DRAWN	NTK	
N. L. T. 1 DECIMALS X.X ±0.25			S.NISHIMURA	NGK SPARK PLUG CO., LTD.	
2 DECIMALS X.XX ±0.13			CHECKED	TITLE	
SPECTRUM			S.NISHIMURA	40 LEAD CHIP CARRIER	
APPROVED			S.NISHIMURA	DWG NO.	
UNIT MM				IRK40F1-5913B	
SCALE					

MODIFIED DWG NO. IRK40F1-5913A


PART NO. SHEET 1 OF 1



SPECTRUM
SEMICONDUCTOR MATERIALS, INC.

www.spectrum-semi.com Phone: 408-435-5555 Fax: 408-435-8226


SSM P/N LCC04025



SSM P/N LCC04025

NTK


LATEST REVISION'S DESCRIPTION	



MODIFIED DWG NO. 1




DESCRIPTION	DRAWN S. NISHIMURA	NTK	NOV.-04
FILE NAME	CHECKED S. NISHIMURA	NGK SPARK PLUG CO., LTD.	-2005
CUSTOMER	APPROVED S. NISHIMURA	TITLE	Rev. Description Date
DWG NO.	UNIT MM (1/16")	BOTTOM PAD	
	SCALE	DWG NO.	
		P-IRK-5913A-01	

PART NO. SHEET OF



SPECTRUM
SEMICONDUCTOR MATERIALS, INC.

www.spectrum-semi.com Phone: 408-435-5555 Fax: 408-435-8226



0 inch

1